


## BioMin® F showed better results than Sensodyne Repair & Protect™ in clinical assessment of hypersensitivity treatment

GUN AKALA VIKRAM REDDY, JAYAPRADA REDDY SURAKANTI, HARIKUMAR VEMISETTY, SURYASOWJANYA DORANALA, JAYASREE REDDY HANUMANPALLY, SURYAKANTH MALGIKAR

J NTR UNIV HEALTH SCI;8:24-8

### Method

In a single-centered clinical trial, a total of **160 subjects** were divided equally into four groups:



**Group A** 5% fluorocalcium phosphosilicate with fused silica (BioMin® F)

**Group B** 5% calcium sodium phosphosilicate (NovaMin™\*)

**Group C** Herbal formulation toothpaste

**Group D** Toothpaste containing 5% potassium nitrate

The patient's dentine hypersensitivity scores for tactile, evaporative stimuli were recorded on a visual analog scale at baseline, 2 weeks, and at the end of 4 weeks.

### Conclusion

**BioMin® F** showed a **better clinical response in relieving dentine hypersensitivity** at the end of 4 weeks.

**BioMin® F** demonstrated **significantly better results compared with NovaMin™ (Sensodyne Repair & Protect™)** in treating dentine hypersensitivity.

[Read More](#)

\* NovaMin™ is the active ingredient in Sensodyne Repair & Protect™